**INCH-POUND** 

MIL-PRF-19500L NOTICE 2 7 June 99

# PERFORMANCE SPECIFICATION SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR

These specifications are hereby inactivated for new design and are prohibited for future use, except for replacement purposes.

This notice should be filed in front of the noted MIL-S-19500 specifications:

<u>Document</u>	<u>Date</u>
155E	2 Jul 1974
167B	19 Feb 1968
216A	28 Apr 1969
258A	23 Jun 1964

The Qualified Manufacturers List (QML) associated with this inactive for new design specification will be maintained until acquisition of the product is no longer required, whereupon the specification and QML will be canceled.

Custodians: Preparing activity: Navy - EC DLA - CC

DLA - CC

(Project 5961-2168-57, 2169-59; 5961-N188, 188-2)

Review activities: Navy – SH, OS

AMSC N/A FSC 5961

**INCH-POUND** 

MIL-PRF-19500L NOTICE 1 7 June 1999

# PERFORMANCE SPECIFICATION SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR

These specifications are hereby inactivated for new design and are prohibited for future use, except for replacement purposes.

This notice should be filed in front of the noted MIL-S-19500 specifications:

 Document
 Date

 173A
 24 Nov 64

 227
 16 Apr 62

The Qualified Manufacturers List (QML) associated with this inactive for new design specification will be maintained until acquisition of the product is no longer required, whereupon the specification and QML will be canceled.

Custodians: Preparing activity:
Navy - EC DLA - CC

Navy - EC Air Force - 11 DLA - CC

(Project 5961-2177-10, 5961-2178)

Review activities: Navy - SH, OS Air Force - 70, 80

AMSC N/A FSC 5961

INCH-POUND

MIL-PRF-19500L NOTICE 2 7 June 1999

#### PERFORMANCE SPECIFICATION SEMICONDUCTOR DEVICES. GENERAL SPECIFICATION FOR

These specifications are hereby inactivated for new design and are prohibited for future use, except for replacement purposes.

This notice should be filed in front of the noted MIL-S-19500 specifications:

Document	<u>Date</u>	Document	<u>Date</u>	Document	t <u>Date</u>
2B	14 Jun 1968	125C	1 Jun 1967	217B	17 Jan 1972
25B	24 Oct 1968	130C	11 Feb 1975	230C	12 Feb 1965
27E	12 Feb 1970	137C	24 Jun 1971	250B	5 Apr 1971
31C	1 Jun 1972	138C	10 Feb 1970	256C	26 Aug 1971
44D	12 Mar 1970	142A	13 May 1964	257A	6 Feb 1968
51E	13 Mar 1972	170A	8 May 1969	259A	23 Oct 1963
62B	26 Jul 1968	179A	5 Apr 1972	267	13 May 1963
71D	29 Jun 1967	180D	9 Oct 1967	268C	25 Jun 1971
77C	6 Mar 1968	187A	14 Sep 1962	329C	4 Oct 1983
78C	17 Mar 1971	188A	9 Oct 1963	335	28 Jun 1965
80E	17 Apr 1972	189B	18 Jan 1972	438	20 Aug 1970
91	2 Nov 1959	195D	6 Aug 1969	484	9 Mar 1973
120C	15 Apr 1970	199A	10 Feb 1966	529	10 May 1978
122C	31 Jan 1967	211B	18 May 1983	530	1 Mar 1979
				569	15 Sept 1987

The Qualified Manufacturers List (QML) associated with this inactive for new design specification will be maintained until acquisition of the product is no longer required, whereupon the specification and QML will be canceled.

Custodians: Preparing activity: Army - CR DLA - CC

Navy - EC Air Force – 11

DLA - CC

(Project 5961-2168; 2168-8, 9, 10, 15, 16, 19, 26, 31, 32, 33, 38, 44, 45, 47, 49, 51, 52, 55, 60, 89, 2176-10, 2168-91, 92, 93, 97, 99, 5961-2176-01, 2, 4, 5, 6, 5961-2177-5, 2168-74, 76, 2171-1, 2176-9, 7, 8, 2177-4)

Review activities:

Navy - OS, SH, AS, CG, MC Army - AV, AR, SM, MU, MI Air Force - 13, 19, 70, 80, 99 NASA - NA

AMSC N/A FSC 5961

**INCH-POUND** 

MIL-PRF-19500L NOTICE 1 7 June 99

#### PERFORMANCE SPECIFICATION SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR

These specifications are hereby inactivated for new design and are prohibited for future use, except for replacement purposes.

This notice should be filed in front of the noted MIL-S-19500 specifications:

<u>Document</u>	<u>Date</u>	<u>Document</u>	<u>Date</u>	<u>Document</u>	<u>Date</u>
76C	20 Sep 67	210B	21 Mar 69	273A	21 Mar 66
141A	26 Aug 66	215	09 Nov 61	279C	05 Mar 71
166C	22 Jun 64	229	29 Jun 62	280B	18 May 87
172B	20 Nov 68	269	01 Oct 63		
178B	29 May 64	271A	14 Feb 64		

The Qualified Manufacturers List (QML) associated with this inactive for new design specification will be maintained until acquisition of the product is no longer required, whereupon the specification and QML will be canceled.

Custodians:

Navy - EC

DLA - CC

(Project 5961-2168-30, 54, 58, 87, 5961-N166, N187, 01, 02, 03, 04, 05 62, 63)

Review activities: Navy – SH, OS

AMSC N/A FSC 5961

**INCH-POUND** 

MIL-PRF-19500L NOTICE 1 7 June 99

## PERFORMANCE SPECIFICATION SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR

These specifications are hereby inactivated for new design and are prohibited for future use, except for replacement purposes.

This notice should be filed in front of the noted MIL-S-19500 specifications:

Document	<u>Date</u>
36C	9 Mar 67
58D	28 Feb 66
68A	3 May 66
139B	24 Mar 63
186B	11 Feb 65
208B	11 Aug 67
218A	23 Nov 66

The Qualified Manufacturers List (QML) associated with this inactive for new design specification will be maintained until acquisition of the product is no longer required, whereupon the specification and QML will be canceled.

Custodians: Preparing activity:
Army - CR DLA - CC

Army - CR Navy - SH Air Force - 11 DLA - CC

Review activities: Navy - OS, AS, CG, MC Army - AV, AR, SM, MU, MI Air Force - 13, 19, 70, 80, 99

NASA - NA

(Project 5961- 2168-11, 17, 24, 53, 90; 5961-2169-5; 5961-2176-3)

AMSC N/A FSC 5961

**INCH-POUND** 

MIL-PRF-19500L NOTICE 2 7 June 1999

## PERFORMANCE SPECIFICATION SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR

These specifications are hereby inactivated for new design and are prohibited for future use, except for replacement purposes.

This notice should be filed in front of the noted MIL-S-19500 specifications:

Document	<u>Date</u>	Document	<u>Date</u>	Document	<u>Date</u>
41B	18 May 67	143B	22 Jun 66	288	24 Apr 64
49C	24 May 68	193C	15 Sep 71	289	24 Apr 64
67A	7 Oct 88	207C	9 Dec 66	330A	10 Nov 69
72C	02 Aug 67	219A	02 Apr 63	331A	08 Feb 71
112C	04-May-67	248A	10 Apr 63	352	25 Mar 66
122C	31 Jan 67	254A	6 Feb 68	460	19 Nov 71

The Qualified Manufacturers List (QML) associated with this inactive for new design specification will be maintained until acquisition of the product is no longer required, whereupon the specification and QML will be canceled.

Custodians:

Army - CR
DLA - CC

(Project 5961-A162; 5961-A163; 5961-2168-23, 27, 43, 45, 56, 96, 5961-A188-03; 5961-A189; 5961-A189-01, 02 67, 68, 75, 77, 82; 5961-A179)

Review activities: Army – MU, MI, SM, AR

AMSC N/A FSC 5961

INCH-POUND

MIL-PRF-19500L NOTICE 1 7 June 1999

#### PERFORMANCE SPECIFICATION SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR

These specifications are hereby inactivated for new design and are prohibited for future use, except for replacement purposes.

This notice should be filed in front of the noted MIL-S-19500 specifications:

Document	<u>Date</u>	Document	<u>Date</u>	<u>Documen</u>	t <u>Date</u>
4D 9B 13B 16E 20C 24D 37D 38C 40B 60E 64D 65B 69E 74E 75B	18 Nov 66 12 Mar 70 26 Jan 65 24 Nov 64 22 Mar 71 18 Mar 70 22 Nov 71 10 Jan 69 26 Feb 68 19 Mar 70 29 Jun 67 19 Mar 70 22 Nov 71 17 Oct 67 18 Oct 66	99E 102A 104C 110C 126C 174B 175C 176B 191A 192B 200B 201B 204F 205B 226B	31 Jul 67 29 Dec 66 29 Nov 65 11 Apr 72 24 Mar 71 29 Nov 71 10 Oct 68 13 Dec 71 14 Jan 64 06 Oct 89 09 Jun 89 25 Sep 89 27 Apr 82 11 Jun 90 11 Jun 90	278E 282C 283D 296B 312C 339 340 347A 364 378B 380B 388B 467	19 Jan 91 23 Jun 92 29 Jul 92 5 Feb 93 01 Aug 92 17 Dec 65 17 Dec 65 30 Jul 93 10 Oct 66 21 Jun 90 04 Jun 91 30 Jun 92 25 Jan 72
86A 89D	20 Mar 64 22 Mar 71	236A 277D	20 Oct 70 10 Jun 91		

The Qualified Manufacturers List (QML) associated with this inactive for new design specification will be maintained until acquisition of the product is no longer required, whereupon the specification and QML will be canceled.

Custodians:

Army - CR Navy - EC

Air Force -11

DLA - CC

Preparing activity: DLA - CC

(Project 5961-2168-01, 02, 04, 05, 06, 07, 12, 13, 14, 18, 21, 22, 25, 28, 29, 34, 37, 39, 40, 41, 42, 48, 5961-2177-11, 5961-2168-88, 2177-12, 2168-94, 95; 5961-2169 -1, 2, 3, 09, 5961-2177, 1, 2, 2168-61, 64, 65, 2177-06, 2168-71, 79, 80, 81, 84, 2177-07, 2168-86, 2177-8, 2177-3)

Review activities:

Navy - OS, SH, AS, CG, MC Army - AV, AR, SM, MU, MI Air Force - 13, 19, 70, 80, 99 NASA – NA

AMSC N/A FSC 5961

**INCH-POUND** 

MIL-PRF-19500L NOTICE 2 7 June 99

## PERFORMANCE SPECIFICATION SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR

These specifications are hereby inactivated for new design and are prohibited for future use, except for replacement purposes.

This notice should be filed in front of the noted MIL-S-19500 specifications:

<u>Date</u>
21 Oct 64
29 Sep 65
3 Oct 66
10 Aug 72
22 Jan 68
8 Jul 68
10 Jul 69
22 Oct 80
22 Oct 80

The Qualified Manufacturers List (QML) associated with this inactive for new design specification will be maintained until acquisition of the product is no longer required, whereupon the specification and QML will be canceled.

Custodians:

Air Force - 11

DLA - CC

DLA - CC

(Project 5961-2168-69, 78, 5961-F164, 5961-2168- 85; 5961-F170; 5961-F171; 5961-F174; 5961-F181; 5961-F182)

Review activities: Air Force - 13, 19, 70, 80, 99

AMSC N/A FSC 5961

**INCH-POUND** 

MIL-PRF-19500L NOTICE 1 7 June 99

## PERFORMANCE SPECIFICATION SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR

These specifications are hereby inactivated for new design and are prohibited for future use, except for replacement purposes.

This notice should be filed in front of the noted MIL-S-19500 specifications:

<u>Document</u>	<u>Date</u>
87 244B 274C 303 372A 419 440A	31 May 66 06 Aug 65 05 Jan 95 22 Oct 64 05 Feb 68 15 Mar 69 10 Jun 91
493A	30 Mar 90

The Qualified Manufacturers List (QML) associated with this inactive for new design specification will be maintained until acquisition of the product is no longer required, whereupon the specification and QML will be canceled.

Custodians:

Army - CR
DLA - CC

(Project 5961-2168-35; 5961-A190, A190-1, 2168-70, A165, A191, A176, A180)

Review activities: Army - AV, AR, SM, MU, MI

AMSC N/A FSC 5961